List of Core's Papers (Total: 126) 2019/4/18

2004 (2)

- WH Chung, SI Hung, HS Hong, MS Hish, LC Yang, HC Ho, JY Wu, YT Chen. Medical genetics: a marker for Stevens-Johnson syndrome. *Nature* 2004 Apr; 428(6982):486. (Impact factor: 31.434)
- JY Wu, HJ Kao, SC Li, R Stevens, S Hillman, D Millington, YT Chen. ENU mutagenesis identifies mice with mitochondrial branched-chain aminotransferase deficiency resembling human maple syrup urine disease. *Journal of Clinical Investigation* 2004 Feb; 113(3): 434-440. (Impact factor: 16.559)

2005 (5)

- SI Hung, WH Chung, LB Liou, CC CHu, M Lin, HP Huang, YL Lin, JL Lan, LC Yang, HS Hong, MJ Chen, PC Lai, CH Chen, CSJ Fann, YJ Wu, YT Chen. HLA*5801 allele as a genetic marker for severe cutaneous adverse reactions caused by allopurinol. *Proc Natl Acad Sci USA* 2005 Mar; 102(11):4134-9. (Impact factor: 9.380)
- SI Hung, WH Chung, YT Chen. HLA-B genotyping to detect carbamazepine-induced Stevens-Johnson syndrome: implications for personalizing medicine. *Personalized Medicine* 2005; 2(3):225-237. (Impact factor: 0.714) - REVIEW
- HY Yuan, JJ Chen, MTM Lee, YF Chen, MJ Charng, MJ Lu, CR Hung, CY Wei, CH Chen, JY Wu, YT Chen. A novel functional VKORC1 promoter polymorphism is associated with inter-vidual and inter-ethnic differences in warfarin sensitivity. *Hum Mol Genet*. 2005 Jul; 14(13):1745-51. (Impact factor: 7.249)
- WL Hwu, CF Yang, CSJ Fann, CL Chen, TF Tsai, YH Chien, SC Chiang, CH Ghen, Sl Hung, JY Wu, YT Chen. Mapping of psoriasis to 17q terminus. *J Med Genet.* 2005; 42(2): 152-158. (Impact factor: 5.713)
- HW Hwang, DM Niu, BT Hwang, JJ Chen, YJ Lin, RC Shieh, MT Lee, SI Hung, JY Wu, YT Chen. R1193Q of SCN5A, a Brugada and long QT mutation, is a common polymorphism in Han Chinese. *J Med Genet.* 2005: 42:e7 (Impact factor: 5.713)

2006 (11)

- SI Hung, WH Chung, SH Jee, WC Chen, YT Chang, WR Lee, SL Hu, MT Wu, GS Chen, TW Wong, PF Hsiao, WH Chen, HY Shih, WH Fan, CY Wei, YH Lou, YL Huang, JJ Lin, YT Chen. Genetic susceptibility to carbamazepine-induced cutaneous adverse drug reactions. *Pharmacogenetics and Genomics* 2006; 16:297-306. (Impact factor: 4.409)

- WH Lin, LM Chuang, CH Chen, JI Yen, PS Hsieh, CH Cheng, YT Chen. Association study of genetic polymorphisms of SLC2A10 gene and type 2 diabetes in Taiwanese population. *Diabetologia* 2006; 49(6): 1214-21. (Impact factor: 6.418)

- DM Niu, BT Hwang, HW Hwang, NH Wang, JY Wu, PC Lee, JC Chien, RC Shieh, YT Chen. A common SCN5A polymorphism attenuates a severe cardiac phenotype caused by a nonsense SCNSA mutation in a Chinese family with an inherited cardiac conduction defect. *J Med Genet.* 2006: 43: 817-821. (Impact factor: 5.713)

- HJ Kao, CF Cheng, YH Chen, SI Hung, CC Huang, David Millington, Tateki Kikuchi, JY Wu, YT Chen. ENU mutagenesis identifies mice with cardiac fibrosis and hepatic steatosis caused by a mutation in the mitochondrial trifunctional protein β-subunit. *Hum Mol Genet* 2006; 15(24): 3569-77. (Impact factor: 7.249)

- WH Pan, CJS Fann, JY Wu, YT Hung, MS Ho, TH Ta, YJ Chen, CJ Liao, ML Yang, ATA Cheng, YT Chen. Han Chinese Cell and Genome bank in Taiwan; purpose, design and ethical considerations. *Human Heredity* 2006; 61: 27-30. (Impact factor: 3.226)

- HC Yang, CH Lin, SI Hung, CSJ Fann. A Comparison of Individual Genotyping and Pooled DNA Analysis for Polymorphism Validation Prior to Large-Scale Genetic Studies. *Ann Human Genet* 2006; 70(3): 350-359. (Impact factor: 2.195)

- HY Yuan, JJ Chiou, WH Tseng, CH Liu, CK Liu, YJ Lin, HH Wang, A. Yao, YT Chen, CN Hsu. FASTSNP: An always up-to-date and extendable service for SNP function analysis and prioritization. *Nucleic Acids Research* 2006; 34: W635-W641. (Impact factor: 6.878)

- LH Li, SF Ho, CH Chen, CY Wei, WC Wong, LY Li, SI Hung, WH Chung, WH Pan, MTM Lee, FJ Tsai, CF Chang, JY Wu, YT Chen. Long contiguous stretches of homozygosity in the human genome. *Human Mutations* 2006; 27(11):

1115-1121. (Impact factor: 7.033)

- YH Chen, MF Tsai, A Yao. Affyrmation: Online Real Time Affirmation and Annotation for Affymetrix SNP Information. *J. of Genet. and Mol. Bio.* 2006; 17(3): 156-161 (Impact factor: NA)

- HC Yang, YJ Liang, MC Huang, LH Li, CH Lin, JY Wu, YT Chen, CSJ Fann. A genome-wide study of preferential amplification/hybridization in microarray-based pooled DNA experiments. *Nucleic Acids Research* 2006; 34(15): e106. (Impact factor: 6.878)

- HC Yang, CH Lin, CL Hsu, SL Hung, SI Hung, JY Wu, WH Pan, YT Chen, CSJ Fann. A comparison of major histocompatibility complex SNPs in Han Chinese residing in Taiwan and Caucasians. *J Biomed Sci*. 2006; 13:489-498. (Impact factor: 2.013)

2007 (4)

- CW Ou Yang, SI Hung, CG Juo, YP Lin, WH Fang, IH Lu, ST Chen, YT Chen. HLA-B*1502–bound peptides: Implications for the pathogenesis of carbamazepine-induced Stevens-Johnson syndrome. *Journal of Allergy and Clinical Immunology* 2007 Oct; 120(4):870-877. (Impact factor: 9.773)

- WH Chung, SI Hung, YT Chen. HLA and drug hypersensitivity. *Current Opinion in Allergy & Clinical Immunology* 2007; 7:317-323. (Impact factor: NA) - REVIEW

- SI Hung, WH Chung, YT Chen: Genetics of severe drug hypersensitivity reactions in Han Chinese. In: Pichler WJ (ed), *Drug Hypersensitivity*, S. Karger AG, pp55-64, 2007. (Impact factor: NA) - Book Chapter

- MF Tsai, YJ Lin, YC Cheng, KH Lee, CC Huang, YT Chen, A Yao. PrimerZ: streamlined primer design for promoters, exon and human SNPs. *Nucleic Acids Research* 2007; doi:10.1093/nar/gkm383. *Nucleic Acids Research* 2007; Vol. 35, Web Server issue W63-W65. (Impact factor: 6.878)

2008 (9)

- MS Wen, MTM Lee, JJ Chen, HP Chuang, LS Lu, CH Chen, TH Lee, CT Kuo, FM Sun, YJ Chang, PL Kuan, YF Chen, MJ Charng, CY Ray, JY Wu, YT Chen. Prospective study of warfarin dosage requirements based on CYP2C9 and VKORC1 genotypes. *Clinical Pharmacology & Therapeutics* 2008; 84:83-89. (Impact factor: 7.586)

- WH Chung, SI Hung, JY Yang, SC Su, SP Huang, CY Wei, SW Chin, CC Chiou, SC Chu, HC Ho, CH Yang, CF Lu, JY Wu, YD Liao, YT Chen. Granulysin is a key mediator for disseminated keratinocyte death in Stevens-Johnson syndrome and toxic epidermal necrolysis. *Nature Medicine* 2008; 14(12):1343-1350. (Impact factor: 27.553)
- CF Yang, WL Hwu, LC Yang, WH Chung, YH Chien, CF Hung, HC Chen, PJ Tsai, CS Fann, F Liao, YT Chen. A promoter sequence variant of ZNF750 is linked with familial psoriasis. *J Invest. Dermatol.* 2008; 128(7): 1662-8. (Impact factor: 5.251)
- MTM Lee, ACH Tsai, CH Chou, FM Sun, LC Huang, Pauline Yen, CC Lin, CY Lin , JY Wu, YT Chen, FJ Tsai. Intragenic microdeletion of *RUNX2* is a novel mechanism for cleidocranial dysplasia. *Genome Medicine* 2008; 2: 45-49 (Impact factor: NA)
- CH Lin, MC Huang, LH Li, JY Wu, YT Chen, SJ Fann. Genome-wide copy number analysis using copy number inferring tool (CNIT) and DNA pooling. *Human Mutation* 2008, 29(8):1055-1062. (Impact factor: 7.033)
- HC Yang, MC Huang, LH Li, CH Lin, ALT Yu, MB Diccianni, JY Wu, YT Chen, CSJ Fann. MPDA: Microarray pooled DNA analyzer. *BMC Bioinformatics* 2008, 9:196. (Impact factor: 3.781)
- YH Chen, CK Liu, SC Chang, YJ Lin, MF Tsai, YT Chen, A Yao. GenoWatch: a disease gene mining browser for association study. *Nucleic Acids Research* 2008; doi:10.1093/nar/gsm214: W63-W65. (Impact factor: 6.878)
- CK Liu, YH Chen, CY Tang, SC Chang, YJ Lin, MF Tsai, YT Chen, A Yao. Functional analysis of novel SNPs and mutations in human and mouse genomes. *BMC Bioinformatics* 2008; 9(Suppl 12):S10 doi:10.1186/1471-2105-9-S12-S10. (Impact factor: 3.781)
- CH Lin, LH Li, SF Ho, TP Chuang, JY Wu, , Y T Chen, CS Fann. A large-scale survey of genetic copy number variations among Han Chinese residing in Taiwan. *BMC Genetics* 2008; 9(92):1-9. (Impact factor: 2.350)

2009 (9)

- MTM Lee et al. join the International Warfarin Pharmacogenetics Consortium. Estimation of the Warfarin Dose with Clinical and Pharmacogenetic Data. *The New England Journal of Medicine* 2009 Feb; 360(8): 753-764. (Impact factor: 50.017)
- MTM Lee, CH Chen, HP Chuang, LS Lu, CH Chou, YT Chen, CY Liu, MS Wen, CF Chang, JY Wu, YT Chen. VKORC1 haplotypes in 5 East Asian

populations and Indians. *Pharmacogenomics* 2009 Oct; 10(10): 1609-1616. (Impact factor: 3.551)

- HH Wang, YW Liao, HL Chiang, JY Wu, YT Chen. Novel DNA sequence variations of cytochrome P450 genes in the Han Chinese population. *Pharmacogenomics* 2009 Mar; 10(3): 359-374. (Impact factor: 3.551)
- MTM Lee, CH Chen, CH Chou, LS Lu, HP Chuang, YT Chen, CY Liu , MS Wen, JJ Chen, JY Wu, YT Chen. Genetic determinants of warfarin dosing in the Han-Chinese population. *Pharmacogenomics* 2009; 10(12): 1905-1913. (Impact factor: 3.551)
- HC Yang, YJ Liang, YL Wu, CM Chung, KM Chiang, HY Ho, CT Ting, TH Lin, SH Sheu, WC Tsai, JH Chen, HB Leu, WH Yin, TY Chiu, CI Chen, CSJ Fann, JY Wu, TN Lin, SJ Lin, YT Chen, JW Chen, WH Pan. Genome-Wide Association Study of Young-Onset Hypertension in the Han Chinese Population of Taiwan. *PLoS ONE* 2009; 4(5): e5459 (Impact factor: 4.351)
- PS Kishnani, TP Chuang, D Bali, D Koeberl, S Austin, DA Weinstein, E Murphy, YT Chen, K Boyette, CH Liu, YT Chen, LH Li. Chromosomal and genetic alterations in human hepatocellular adenomas associated with type Ia glycogen storage disease. *Human Molecular Genetics* 2009 Sep; 18(24): 4781-4790. (Impact factor: 8.058)
- CH Chen, T Kikuchi, YH Chen, NG Abd-Al-Ahad Sabbagha, YC Lee, HJ Pan, C Chang, YT Chen. Mutations in the *SLC2A10* gene cause arterial abnormalities in mice. *Cardiovascular Research* 2009, 81:381-388. (Impact factor: 5.947)
- CH Chen et al. join the HUGO Pan-Asian SNP Consortium. SNP study supports southern migration route to Asia. *Science* 2009 Dec; 326:1470. (Impact factor: 28.103)
- The HUGO Pan-Asian SNP Consortium (CH Chen, JY Wu, YT Chen et al. join the HUGO Pan-Asian SNP Consortium). Mapping human genetic diversity in Asia. *Science* 2009 Dec; 326(5959):1541-5. (Impact factor: 28.103)

2010 (8)

- SI Hung, WH Chung, ZS Liu, CH Chen, MS Hsih, RC Hui, CY Chu, YT Chen. Common risk allele in aromatic antiepileptic-drug induced Stevens-Johnson syndrome and toxic epidermal necrolysis in Han Chinese. *Pharmacogenomics* 2010; 11(3): 349-356. (Impact factor: 3.551)
- NA Limdi, M Wadelius, L Cavallari, N Eriksson, DC Crawford, MTM Lee, CH Chen, A Motsinger-Reif, H Sagreiya, N Liu, AHB Wu, BF Gage, A Jorgensen, M Pirmohamed, JG Shin, G Suarez-Kurtz, SE Kimmel, JA Johnson, TE Klein

and MJ Wagner on behalf of the IWPC. Warfarin Pharmacogenetics: A single *VKORC1* polymorphism is predictive of dose across three racial groups. *Blood* 2010 May; 115(18):3827-3834. (Impact factor: 10.132)

- MTM Lee, CH Chen, CS Lee, CC Chen, MY Chong, WC Ouyang, NY Chiu, LJ Chuo, CY Chen, HKL Tan, HY Lane, TJ Chang, CH Lin, SH Jou, YM Hou, J Feng, TJ Lai, CL Tung, TJ Chen, CJ Chang, FW Lung, CK Chen, IS Shiah, CY Liu, PR Teng, KH Chen, LJ Shen, CS Cheng, TP Chang, CF Li, CH Chou, CY Chen, KHT Wang, CSJ Fann, JY Wu, YT Chen, ATA Cheng. Genome-wide Association study of bipolar I disorder in the Han Chinese population. *Molecular Psychiatry* 2010 April; 16(5):548–556. (Impact factor: 12.537)
- FJ Tsai, CF Yang, CC Chen, LM Chuang, CH Lu, CT Chang, TY Wang, RH Chen, CF Shiu, YM Liu, CC Chang, P Chen, CH Chen, CSJ Fann, YT Chen, JY Wu. A Genome-wide Association study identifies susceptibility variants for type 2 diabetes in Han Chinese. *PLoS Genetics* 2010; 6(2): e1000847. (Impact factor: 8.883)
- YC Lee, HY Huang, CJ Chang, CH Cheng, YT Chen. Mitochondrial GLUT10 facilitates dehydroascorbic acid import and protects cell against oxidative stress: mechanistic insight into arterial tortuosity syndrome. *Human Molecular Genetics* 2010; 19(19): 3721-3733. (Impact factor: 8.058)
- HC Yang, HC Lin, MC Huang, LH Li, WH Pan, JY Wu, YT Chen. A new analysis tool for individual-level allele frequency for genomic studies. *BMC Genomics* 2010 Jul; 11:415. (Impact factor: 3.759)
- CF Chang, LH Li, CH Wong, FJ Tsai, TC Chen, JY Wu, YT Chen, ACH Tsai. Identification of a submicroscopic 3.2 Mb chromosomal 16q12.2-13 deletion in a child with short stature, craniofacial malformation, hypoplastic ears by high density oligonucleotide array-a recognizable syndrome. *American Journal of Medical Genetics Part A* 2010 Sep; 152A(9) : 2365-2371. (Impact factor: 2.404)
- S Xu, D Kangwanpong, M Seielstad, M Srikummool, J Kampuansai, L Jin, the HUGO Pan-Asian SNP Consortium (CH Chen, JY Wu, YT Chen *et al*. join the HUGO Pan-Asian SNP Consortium). Genetic evidence supports linguistic affinity of Mlabri--a hunter-gatherer group in Thailand. *BMC Genetics* 2010 Mar; 11(18):1-13. (Impact factor: 2.475)

2011 (14)

- YC Lee, CJ Chang, Deeksha Bali3, YT Chen, YT Yan. Glycogen-branching enzyme deficiency leads to abnormal cardiac development: novel insights into glycogen storage disease IV. *Human Molecular Genetics* 2011; 20(3):455-465.

(Impact factor: 8.058)

- FJ Tsai, YC Lee, JS Chang, LM Huang, FY Huang, NC Chiu, MR Chen, H Chi, YJ Lee, L Chang, YM Liu, HW Wang, CH Chen, YT Chen, JY Wu. Identification of Novel Susceptibility loci for Kawasaki disease in a Han Chinese population by a genome-wide association study. *PLoS ONE* 2011; 6(2): e16853. (Impact factor: 4.411)
- P Chen, JJ Lin, CS Lu, CT Ong, PF Hsieh, CC Yang, CT Tai, SL Wu, CH Lu, YC Hsu, HY Yu, LS Ro, CT Lu, CC Chu, JJ Tsai, YH Su, SH Lan, SF Sung, SY Lin, HP Chuang, LC Huang, YJ Chen, PJ Tsai, HT Liao, YH Lin, CH Chen, WH Chung, SI Hung, JY Wu, CF Chang, L Chen, YT Chen, CY Shen, for the Taiwan SJS Consortium. Carbamazepine-Induced Toxic Effects and HLA-B*1502 Screening in Taiwan. *The New England Journal of Medicine* 2011 Mar; 364(12): 1126-1133. (Impact factor: 47.050)
- HC Yang, HC Lin, M Kang, CH Chen, CW Lin, LH Li, JY Wu, YT Chen, WH Pan. SAQC: SNP Array Quality Control. *BMC Bioinformatics* 2011; 12(100): 1-14. (Impact factor: 3.428)
- CH Chen, YT Chen, JY Wu *et al.* join the Asia Genetic Epidemiology Network, AGEN. Meta-analysis of genome-wide association studies identifies common variants associated with blood pressure variation in East Asians. *Nature Genetics* 2011; 43(6):531-8. (Impact factor: 36.377)
- PY Cheng, YP Lin, YL Chen, YC Lee, CC Tai, YT Wang, YJ Chen, CF Kao, J Yu. Interplay between SIN3A and STAT3 mediates chromatin conformational changes and GFAP expression during cellular differentiation. *PLoS ONE* 2011; 6(7): 1-15. (Impact factor: 4.411)
- YC Lee, JY Wu *et al.* join the Taiwan Kawasaki Disease Genetics Consortium. Genome-wide association study identifies *FCGR2A* as a susceptibility locus for Kawasaki disease. *Nature Genetics* 2011; 43(12): 1241-1246. (Impact factor: 36.377)
- NGAA Sabbagha, HJ Kao, CF Yang, CC Huang, WD Lin, FJ Tsai, TH Chen, WY Tarn, JY Wu, YT Chen. Alternative splicing in *Acad8* resulting a mitochondrial defect and progressive hepatic steatosis in mice. *Pediatric Research* 2011; 70(1): 31-36. (Impact factor: 2.803)
- WI Hatin, AR Nur-Shafawati, MK Zahri, S Xu, L Jin, SG Tan, M Rizman-Idid, BA Zilfalil, the HUGO Pan-Asian SNP Consortium (CH Chen, JY Wu, YT Chen *et al*. join the HUGO Pan-Asian SNP Consortium). Population genetic structure of peninsular Malaysia Malay sub-ethnic groups. *PLoS One* 2011; 6(4):e18312. (Impact factor: 4.092)

- C Ngamphiw, A Assawamakin, S Xu, PJ Shaw, JO Yang, H Ghang, J Bhak, E Liu, S Tongsima, the HUGO Pan-Asian SNP Consortium (CH Chen, JY Wu, YT Chen *et al*. join the HUGO Pan-Asian SNP Consortium). PanSNPdb: the Pan-Asian SNP genotyping database. *PLoS One* 2011; 6(6):e21451. (Impact factor: 4.092)
- X Yang, S Xu, the HUGO Pan-Asian SNP Consortium (CH Chen, JY Wu, YT Chen *et al*. join the HUGO Pan-Asian SNP Consortium). Identification of Close Relatives in the HUGO Pan-Asian SNP Database. *PLoS One* 2011; 6(12):e29502. (Impact factor: 4.092)
- CF Hung, FW Lung, CH Chen, E O'Nions, TH Hung, MY Chong, CK Wu, JK Wen, PY Lin. Association between suicide attempt and a tri-allelic functional polymorphism in serotonin transporter gene promoter in Chinese patients with schizophrenia. *Neuroscience Letters* 2011; 504(3):242-6. (Impact factor: 2.026)
- CH Li, RB Yang, JH Pang, SS Chang, CC Lin, CH Chen, HY Chen, TF Chiu. Procalcitonin as a biomarker for bacterial infections in patients with liver cirrhosis in the emergency department. *Academic Emergency Medicine* 2011; 18(2):121-6. (Impact factor: 1.757)
- TM Ko, WH Chung, CY Wei, HY Shih, JK Chen, CH Lin, YTg Chen, SI Hung. Shared and restricted T-cell receptor use is crucial for carbamazepine-induced Stevens-Johnson syndrome. *Journal of Allergy and Clinical Immunology* 2011; 128(6):1266-1276.e11. (Impact factor: 11.003)

2012 (18)

- YS Cho, CH Chen, YT Chen, JY Wu *et al.* Meta-analysis of genome-wide association studies identifies eight new loci for type 2 diabetes in east Asians. *Nature Genetics* 2012; 44(1): 67-73. (Impact factor: 36.377) [CH Chen: co-first author, JY Wu: co-corresponding author]
- W Wen, CH Chen, YT Chen, JY Wu *et al.* Meta-analysis identifies common variants associated with body mass index in east Asians. *Nature Genetics* 2012; 44(3): 307-311. (Impact factor: 36.377) [CH Chen: co-first author, JY Wu: co-corresponding author]
- JY Wu *et al.* Common variants at CDKAL1 and KLF9 are associated with body mass index in east Asian populations. *Nature Genetics* 2012; 44(3): 302-306. (Impact factor: 36.377)
- YC Lee, HC Kuo, JS Chang, LY Chang, LM Huang, MR Chen, CD Liang, H Chi, FY Huang, ML Lee, YC Huang, B Hwang, NC Chiu, KP Hwang, PC Lee, LC Chang, YM Liu, YJ Chen, CH Chen, Taiwan Pediatric ID Alliance, YT Chen, FJ Tsai, JY Wu. Two new susceptibility loci for Kawasaki disease identified

through genome-wide association analysis. *Nature Genetics* 2012; 44(5): 522-525. (Impact factor: 36.377)

- YJ Liou, HH Wang, MTM Lee, SC Wang, HL Chiang, CC Chen, CH Lin, MS Chung, CC Kuo, DL Liao, CK Wu, CM Liu, YL Liu, HG Hwu, IC Lai, SJ Tsai, CH Chen, HF Liu, YC Chou, CH Chen, YT Chen, CJ Hong, JY Wu. Genome-Wide Association Study of Treatment Refractory Schizophrenia in Han Chinese. *PLoS ONE* 2012; 7(3): e33598. (Impact factor: 4.411)
- YC Cheng, FC Hsiao, EC Yeh, WJ Lin, CYL Tang, HC Tseng, HT Wu, CK Liu, CC Chen, YT Chen, A Yao. VarioWatch: providing large-scale and comprehensive annotations on human genomic variants in the next generation sequencing era. *Nuclear Acids Research* 2012; 40: W76-W81. (Impact factor: 7.836)
- CH Chen, YT Chen, JY Wu *et al.* Meta-analysis identifies multiple loci associated with kidney function–related traits in east Asian populations. *Nature Genetics* 2012; 44(8): 904-909. (Impact factor: 36.377)
- TM Ko, YT Chen. T-cell receptor and carbamazepine-induced Stevens–Johnson syndrome and toxic epidermal necrolysis: understanding a hypersensitivity reaction. *Expert Review of Clinical Immunology* 2012; 8(5):467-477. (Impact factor: 2.072)
- CY Wei, WH Chung, HW Huang, YT Chen, SI Hung. Direct interaction between HLA-B and carbamazepine activates T cells in patients with Stevens-Johnson syndrome. *Journal of Allergy and Clinical Immunology* 2012; 129(6):1562-1569. (Impact factor: 11.003)
- CY Wei, MTM Lee, YT Chen. Pharmacogenomics of adverse drug reactions: implementing personalized medicine. *Human Molecular Genetics* 2012; 21(1):R58-R65. (Impact factor: 7.636)
- CY Wei, TM Ko, CY Shen, YT Chen. A recent update of pharmacogenomics in drug-induced severe skin reactions. *Drug Metabolism and Pharmacokinetics* 2012; 27(1):132-41. (Impact factor: 2.321)
- Asian Genetic Epidemiology Network–Type 2 Diabetes (AGEN-T2D) Consortium (CH Chen and JY Wu *et al.* join the AGEN-T2D Consortium) *et al.* Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. *Nature Genetics* 2012; 44(9): 981-90. (Impact factor: 36.377)
- B Xi, F Takeuchi, GR Chandak, N Kato, HW Pan, Asian Genetic Epidemiology Network–Type 2 Diabetes (AGEN-T2D) Consortium (CH Chen and JY Wu *et al*. join the AGEN-T2D Consortium), DH Zhou, HY Pan, J Mi. Common

polymorphism near the MC4R gene is associated with type 2 diabetes: data from a meta-analysis of 123,373 individuals. *Diabetologia* 2012; 55(10):2660-6. (Impact factor: 6.814)

- S Xu, I Pugach, M Stoneking, M Kayser, L Jin, the HUGO Pan-Asian SNP Consortium (CH Chen, JY Wu, YT Chen et al. join the HUGO Pan-Asian SNP Consortium). Genetic dating indicates that the Asian-Papuan admixture through Eastern Indonesia corresponds to the Austronesian expansion. *Proceedings of the national academy of sciences of the United States of America (PNAS)* 2012; 109(12):4574-9. (Impact factor: 9.681)
- TA Jinam, LC Hong, ME Phipps, M Stoneking, M Ameen, J Edo; the HUGO Pan-Asian SNP Consortium (CH Chen, JY Wu, YT Chen et al. join the HUGO Pan-Asian SNP Consortium), N Saitou. Evolutionary history of continental southeast Asians: "early train" hypothesis based on genetic analysis of mitochondrial and autosomal DNA data. *Molecular Biology and Evolution* 2012; 29(11):3513-27. (Impact factor: 5.550)
- HC Yang, PL Wang, CW Lin, CH Chen, CH Chen. Integrative analysis of single nucleotide polymorphisms and gene expression efficiently distinguishes samples from closely related ethnic populations. *BMC Genomics* 2012; 13:346. (Impact factor: 4.397)
- LS Chen, NL Saccone, RC Culverhouse, PM Bracci, CH Chen, N Dueker, Y Han, H Huang, G Jin, T Kohno, JZ Ma, TR Przybeck, AR Sanders, JA Smith, YJ Sung, AS Wenzlaff, C Wu, D Yoon, YT Chen, YC Cheng, YS Cho, SP David, J Duan, CB Eaton, H Furberg, AM Goate, D Gu, HM Hansen, S Hartz, Z Hu, YJ Kim, SJ Kittner, DF Levinson, TH Mosley, TJ Payne, DC Rao, JP Rice, TK Rice, TH Schwantes-An, SS Shete, J Shi, MR Spitz, YV Sun, FJ Tsai, JC Wang, MR Wrensch, H Xian, PV Gejman, J He, SC Hunt, SL Kardia, MD Li, D Lin, BD Mitchell, T Park, AG Schwartz, H Shen, JK Wiencke, JY Wu, J Yokota, CI Amos, LJ Bierut. Smoking and genetic risk variation across populations of European, Asian, and African American ancestry—a meta-analysis of chromosome 15q25. *Genetic Epidemiology* 2012; 36(4):340-51. (Impact factor: 4.015)
- YJ Liou, CH Chen, CY Cheng, SY Chen, TJ Chen, YW Yu, FS Nian, SJ Tsai, CJ Hong. Convergent evidence from mouse and human studies suggests the involvement of zinc finger protein 326 gene in antidepressant treatment response. *PLoS ONE* 2012; 7(5):e32984. (Impact factor: 3.730)

2013 (13)

- CH Chou, CH Lee, LS Lu, IW Song, HP Chuang, SY Kuo, JY Wu, YT Chen,

VB Kraus, CC Wu, MT Lee. Direct assessment of articular cartilage and underlying subchondral bone reveals a progressive gene expression change in human osteoarthritic knees. *Osteoarthritis and Cartilage* 2012; 21(3):450-61. (Impact factor: 4.262)

- YH Wu-Chou, YT Chen, TH Yeh, HC Chang, YH Weng, SC Lai, CL Huang, RS Chen, YZ Huang, CC Chen, J Hung, WL Chuang, WY Lin, CH Chen, CS Lu. Genetic variants of SNCA and LRRK2 genes are associated with sporadic PD susceptibility: A replication study in a Taiwanese cohort. *Parkinsonism and Related Disorders* 2013; 19(2):251-255. (Impact factor: 3.274)
- HJ Lin, YC Huang, JM Lin, WL Liao, JY Wu, CH Chen, YC Chou, LA Chen, CJ Lin, FJ Tsai. Novel susceptibility genes associated with diabetic cataract in a Taiwanese population. *Ophthalmic Genetics* 2013; 34(1-2):35-42. (Impact factor: 1.070)
- H Li, W Gan, L Lu, X Dong, X Han, C Hu, Z Yang, L Sun, W Bao, P Li, M He, L Sun, Y Wang, J Zhu, Q Ning, Y Tang, R Zhang, J Wen, D Wang, X Zhu, K Guo, X Zuo, X Guo, H Yang, X Zhou, DIAGRAM Consortium, AGEN-T2D Consortium, X Zhang, L Qi, RJ Loos, FB Hu, T Wu, Y Liu, L Liu, Z Yang, R Hu, W Jia, L Ji, Y Li, X Lin. A Genome-Wide Association Study Identifies GRK5 and RASGRP1 as Type 2 Diabetes Loci in Chinese Hans. *Diabetes* 2013; 62(1):291-8. (Impact factor: 8.286)
- AGEN Consortium (CH Chen and JY Wu et al. join the AGEN Consortium) et al. A meta-analysis identifies new loci associated with body mass index in individuals of African ancestry. *Nature Genetics* 2013; 45(6): 690-6. (Impact factor: 36.377)
- AGEN Consortium (CH Chen and JY Wu et al. join the AGEN Consortium) et al. Genome-Wide Association Study Identifies a Novel Locus Contributing to Type 2 Diabetes Susceptibility in Sikhs of Punjabi Origin From India. *Diabetes* 2013 May; 62(5): 1746-55. (Impact factor: 7.895)
- JA Cornejo-García, LB Liou, N Blanca-López, I Doña, CH Chen, YC Chou, HP Chuang, JY Wu, YT Chen, MC Plaza-Serón, C Mayorga, RM Guéant-Rodríguez, SC Lin, MJ Torres, P Campo, C Rondón, JJ Laguna, J Fernández, JL Guéant, G Canto, M Blanca, MT Lee. Genome-wide association study in NSAID-induced acute urticarial/angioedema in Spanish and Han Chinese populations. *Pharmacogenomics* 2013 Nov; 14(15):1857-1869. (Impact factor: 3.425)
- CJ Chang, HC Kuo, JS Chang, JK Lee, FJ Tsai, CC Khor, LC Chang, SP Chen, TM Ko, YM Liu, YJ Chen, YM Hong, GY Jang, ML Hibberd, T Kuijpers, D Burgner, M Levin, JC Burns, S Davila, International Kawasaki Disease Genetics Consortium, Korean Kawasaki Disease Genetics Consortium, Taiwan Kawasaki

Disease Genetics Consortium, YT Chen, CH Chen, JY Wu, YC Lee. Replication and meta-analysis of GWAS identified susceptibility loci in Kawasaki disease confirm the importance of B lymphoid tyrosine kinase (BLK) in disease susceptibility. *PLoS ONE* 2013 Aug; 8(8):e72037. (Impact factor: 3.534)

- CH Chou, CC Wu, IW Song, HP Chuang, LS Lu, JH Chang, SY Kuo, CH Lee, JY Wu, YT Chen, VB Kraus, MTM Lee. Genome-wide expression profiles of subchondral bone in osteoarthritis. *Arthritis Research & Therapy* 2013 Nov; 15(6):R190. (Impact factor: 4.117)
- TN Kelly, F Takeuchi, Y Tabara, TL Edwards, YJ Kim, P Chen, H Li, Y Wu, CF Yang, Y Zhang, D Gu, T Katsuya, T Ohkubo, YT Gao, MJ Go, YY Teo, L Lu, NR Lee, LC Chang, H Peng, Q Zhao, E Nakashima, Y Kita, XO Shu, NH Kim, ES Tai, Y Wang, LS Adair, CH Chen, S Zhang, C Li, T Nabika, S Umemura, Q Cai, YS Cho, TY Wong, J Zhu, JY Wu, X Gao, JE Hixson, H Cai, J Lee, CY Cheng, DC Rao, YB Xiang, MC Cho, BG Han, A Wang, FJ Tsai, K Mohlke, X Lin, MK Ikram, JY Lee, W Zheng, M Tetsuro, N Kato, J He. Genome-wide association study meta-analysis reveals transethnic replication of mean arterial and pulse pressure loci. *Hypertension* 2013 Sep; 62(5):853-859. (Impact factor: 7.632)
- N Franceschini, E Fox, the Asian Genetic Epidemiology Network Consortium *et al*. Genome-wide association analysis of blood-pressure traits in African-ancestry individuals reveals common associated genes in African and non-African populations. *American Journal of Human Genetics* 2013 Sep; 93(3):545-554. (Impact factor: 10.931)
- YJ Lin, JS Chang, X Liu, CH Hung, TH Lin, SM Huang, KT Jeang, CY Chen, CC Liao, CW Lin, CH Lai, N Tien, YC Lan, MW Ho, WK Chien, JH Chen, YC Huang, H Tsang, JY Wu, CH Chen, LC Chang, FJ Tsai. Association between GRIN3A gene polymorphism in Kawasaki disease and coronary artery aneurysms in Taiwanese children. *PLoS ONE* 2013 Nov; 8(11):e81384. (Impact factor: 3.234)
- YJ Lin, JS Chang, X Liu, TH Lin, SM Huang, CC Liao, CW Lin, WK Chien, JH Chen, JY Wu, CH Chen, LC Chang, H Tsang, KT Jeang, CY Chen, FJ Tsai. Sorting nexin 24 genetic variation associates with coronary artery aneurysm severity in Kawasaki disease patients. *Cell & Bioscience* 2013 Nov; 3(1):44. (Impact factor: 3.630)

2014 (10)

- DS Lin, TP Chuang, MF Chiang, CS Ho, CD Hsiao, YW Huang, TY Wu, JY Wu, YT Chen, TC Chen, LH Li. De novo MECP2 duplication derived from paternal germ line result in dysmorphism and developmental delay. *Gene* 2014;

533(1):78–85. (Impact factor: 2.196)

- CH Chen, CS Lee, MT Lee, WC Ouyang, CC Chen, MY Chong, JY Wu, HK Tan, YC Lee, LJ Chuo, NY Chiu, HY Tsang, TJ Chang, FW Lung, CH Chiu, CH Chang, YS Chen, YM Hou, CC Chen, TJ Lai, CL Tung, CY Chen, HY Lane, TP Su, J Feng, JJ Lin, CJ Chang, PR Teng, CY Liu, CK Chen, IC Liu, JJ Chen, T Lu, CC Fan, CK Wu, CF Li, KH Wang, LS Wu, HL Peng, CP Chang, LS Lu, YT Chen, AT Cheng; for the Taiwan Bipolar Consortium. Variant GADL1 and Response to Lithium Therapy in Bipolar I Disorder. *The New England Journal of Medicine* 2014 Jan; 370(2):119-28. (Impact factor: 47.050)
- IW Song, WR Li, LY Chen, LF Shen, KM Liu, JJY Yen, YJ Chen, YJ Chen, VB Kraus, JY Wu, MTM Lee, YT Chen. Palmitoyl Acyltransferase, Zdhhc13, Facilitates Bone Mass Acquisition by Regulating Postnatal Epiphyseal Development and Endochondral Ossification: A Mouse Model. *PLoS ONE* 2014 Mar; 9(3): e92194. (Impact factor: 3.730)
- DIAbetes Genetics Replication And Meta-analysis (DIAGRAM) Consortium, Asian Genetic Epidemiology Network Type 2 Diabetes (AGEN-T2D) Consortium, South Asian Type 2 Diabetes (SAT2D) Consortium, Mexican American Type 2 Diabetes (MAT2D) Consortium & Type 2 Diabetes Genetic Exploration by Next-generation sequencing in multi-Ethnic Samples (T2D-GENES) Consortium. Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. *Nature Genetics* 2014 Mar; 46(3):234-244. (Impact factor:29.648)
- KM Liu, JY Wu, YT Chen. Mouse model of glycogen storage disease type III. *Molecular Genetics and Metabolism* 2014 Apr; 111(4):467-76. (Impact factor: 2.827)
- B Xi, F Takeuchi, A Meirhaeghe, N Kato, JC Chambers, AP Morris, YS Cho, W Zhang , KL Mohlke, JS Kooner, XO Shu, H Pan, ES Tai, H Pan, JY Wu, D Zhou, GR Chandak, DIAGRAM Consortium, AGEN-T2D Consortium and SAT2D Consortium. Associations of genetic variants in/near body mass index-associated genes with type 2 diabetes: a systematic meta-analysis. *Clinical Endocrinology* 2014 Nov; 81(5):702-710. (Impact factor: 3.353)
- R Villegas, SM Williams, YT Gao, J Long, J Shi, H Cai, H Li, CC Chen, ES Tai, AGEN-T2D Consortium, F Hu, Q Cai1, W Zheng, XO Shu. Genetic variation in the peroxisome proliferator-activated receptor (PPAR) and peroxisome proliferator-activated receptor gamma co-activator 1 (PGC1) gene families and type 2 diabetes. *Annals of Human Genetics* 2014 Jan; 78(1):23-32. (Impact factor: 1.926)
- P Chen, F Takeuchi, JY Wu, CH Chen, YT Chen *et al*. Multiple nonglycemic

genomic loci are newly associated with blood level of glycated hemoglobin in East Asians. *Diabetes* 2014 Jul, 63(7):2551-2562. (Impact factor: 8.095)

- W Wen, W Zheng, CH Chen, JY Wu *et al*. Meta-analysis of genome-wide association studies in East Asian-ancestry populations identifies four new loci for body mass index. *Human Molecular Genetics* 2014 Oct; 23(20):5492-5504. (Impact factor: 6.393)
- YJ Lin, JS Chang, X Liu, H Tsang, TH Lin, CC Liao, SM Huang, WK Chien, JH Chen, JY Wu, CH Chen, LC Chang, CW Lin, TJ Ho, FJ Tsai. Genetic variants of glutamate receptor gene family in Taiwanese Kawasaki disease children with coronary artery aneurysms. *Cell & Bioscience* 2014 Nov; 4(1):67. (Impact factor: 3.630)

2015 (6)

- CH Lin, JK Chen, TM Ko, CY Wei, JY Wu, WH Chung, SY Chen, YD Liao, SI Hung, YT Chen. Immunologic basis for allopurinol-induced severe cutaneous adverse reactions: HLAB*58:01-restricted activation of drug-specific T cells and molecular interaction. *The Journal of Allergy and Clinical Immunology* 2015 Apr; 135(4):1063-1065.e5. (Impact factor: 11.248)
- TM Ko, HC Kuo, JS Chang, SP Chen, YM Liu, HW Chen, FJ Tsai, YC Lee, CH Chen, JY Wu, YT Chen. CXCL10/IP-10 is a biomarker and mediator for Kawasaki disease. *Circulation Research* 2015 Feb; 116(5):876-883. (Impact factor: 11.089)
- KM Liu, YJ Chen, LF Shen, ANS Haddad, IW Song, LY Chen, YJ Chen, JY Wu, JJY Yen, YT Chen. Cyclic alopecia and abnormal epidermal cornification in Zdhhc13-deficient mice reveal the importance of palmitoylation in hair and skin differentiation. *Journal of Investigative Dermatology* 2015 July; doi:10.1038/jid.2015.240. (Impact factor: 7.216)
- TM Ko, CY Tsai, SY Chen, KS Chen, KH Yu, CS Chu, CM Huang, CR Wang, CT Weng, CL Yu, SC Hsieh, JC Tsai, WT Lai, WC Tsai, GD Yin, TT Ou, KH Cheng, JH Yen, TL Liou, TH Lin, DY Chen, PJ Hsiao, MY Weng, YM Chen, CH Chen, MF Liu, HW Yen, JJ Lee, MC Kuo, CC Wu, SY Hung, SF Luo, YH Yang, HP Chuang, YC Chou, HT Liao, CW Wang, CL Huang, CS Chang, MT Lee, P Chen, CS Wong, CH Chen, JY Wu, YT Chen, CY Shen; For the Taiwan Allopurinol-SCAR Consortium. Use of HLA-B*58:01 genotyping to prevent allopurinol induced severe cutaneous adverse reactions in Taiwan: national prospective cohort study. *British Medical Journal* 2015 Sep; 351:h4848 | doi: 10 .113 6/bmj.h4848. (Impact factor: 17.445)
- N Kato, M Loh, JY Wu, CH Chen**,** YT Chen *et al*. Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and

implicates a role for DNA methylation. *Nature Genetics* 2015 Nov, 47(11):1282-93. (Impact factor: 29.352)

- YJ Lin, JS Chang, X Liu, H Tsang, WK Chien, JH Chen, HY Hsieh, KC Hsueh, YT Shiao, JP Li, CW Lin, CH Lai, JY Wu, CH Chen, JG Lin, TH Lin, CC Liao, SM Huang, YC Lan, TJ Ho, WM Liang, YC Yeh, JC Lin, FJ Tsai. Genetic variants in PLCB4/PLCB1 as susceptibility loci for coronary artery aneurysm formation in Kawasaki disease in Han Chinese in Taiwan. *Scientific Reports* 2015 Oct; 5:14762. (Impact factor: 5.578)

2016 (6)

(1) IW Song, CC Sung, CH Chen, CJ Cheng, SS Yang, YC Chou, JH Yang, YT Chen, JY Wu, SH Lin. Novel susceptibility gene for nonfamilial hypokalemic periodic paralysis. *Neurology* 2016 Mar; 86:1-9. (Impact factor: 8.185) (宋以文-CHB)

(2) TH Lee, TM Ko, CH Chen, MTM Lee, YJ Chang, CH Chang, KL Huang, TY Chang, JD Lee, KC Chang, JT Yang, MS Wen, CY Wang, YT Chen, CS Hsieh, SY Chou, YM Liu, HW Chen, HT Liao, CW Wang, SP Chen, LS Lu, YT Chen, JY Wu. Identification of PTCSC3 as a novel locus for large-vessel ischemic stroke: a genome-wide association study. *Journal of the American Heart Association* 2016 Feb; 5:e003003. (Impact factor: 4.306) (柯泰名-CHB)

(3) TP Chuang, JY Wang, SW Jao, CC Wu, JH Chen, KH Hsiao, CY Lin, SH Chen, SY Su, YJ Chen, YT Chen, DC Wu, LH Li. Over-expression of AURKA, SKA3 and DSN1 contributes to colorectal adenoma to carcinoma progression. *Oncotarget* 2016 Jun; doi: 10.18632/oncotarget.9960. (Impact factor: 5.008) (莊諮博-NGS C2-30 & C2-37)

(4) NHH Wang, SJ Chen, CF Yang, HW Chen, HP Chuang, YH Lu, CH Chen, JY Wu, DM Niu, YT Chen. Homozygosity mapping and whole-genome sequencing links a missense mutation in POMGNT1 to autosomal recessive retinitis pigmentosa. *Investigative Ophthalmology & Visual Science* 2016 Jul; 57(8): 3601-3609. (Impact factor: 3.427) (王襄華-NGS C2-27)

(5) IW Song, HC Chen, YF Lin, JH Yang, CC Chang, CT Chou, MTM Lee, YC Chou, CH Chen, YT Chen, CH Chen, JY Wu. Identification of susceptibility gene associated with female primary Sjögren's syndrome in Han Chinese by genome-wide association study. *Human Genetics* 2016 Aug; 135(11): 1287-1294. (Impact factor: 5.138) (宋以文-CHB & Sequenom)

(6) The AGEN Consortium (JY Wu, CH Chen, YT Chen et al. join the AGEN Consortium), Pattaro C, Teumer A et al. Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. *Nature Communication* 2016 Jan; 7:10023. (Impact factor: 11.329) (陳建勳-統計

分析)

2017 (8)

(1) CF Yang, CH Wang, WS H'ng, CP Chang, WD Lin, YT Chen, JY Wu, FJ Tsai. Filamin B loss-of-function mutation in dimerization domain causes autosomal recessive spondylocarpotarsal synostosis syndrome with rib anomalies. *Human Mutation* 2017 Feb; 38(5):540-547. (Impact factor: 5.089) (楊奇凡-NGS, VarioWatch)

(2) JY Wu, CH Chen, YT Chen et al. join the AGEN Consortium. Genome-wide trans-ethnic meta-analysis identifies seven genetic loci influencing erythrocyte traits and a role for RBPMS in erythropoiesis. *American Journal of Human Genetics* 2017 Jan;100:51-63. (Impact factor: 10.794) (陳建勳-CHB)

(3) MS Wen, KC Chang, TH Lee, YF Chen, KC Hung, YJ Chang, CW Liou, JJ Chen, CH Chang, CY Wang, JS Jeng, HP Chuang, YT Chen, CH Chen, JY Wu, YT Chen, MTM Lee. Pharmacogenetic dosing of warfarin in the Han-Chinese population: a randomized trial. *Pharmacogenomics* 2017 Feb;18(3):245-253. (Impact factor: 2.710) (陳建勳-Sequenom)

(4) CJ Chang, CH Chen, BM Chen, YC Su, YT Chen, MS Hershfield, MTM Lee, TL Cheng, YT Chen, SR Roffler, JY Wu. A genome-wide association study identifies a novel susceptibility locus for the immunogenicity of polyethylene glycol. *Nature Communications* 2017 Sep; 8:522. (Impact factor: 12.124) (張家榮-CHB, Sequenom)

(5) HL Chiang, JY Wu, YT Chen. Identification of functional single nucleotide polymorphisms in the branchpoint site. *Human Genomics* 2017 Nov; 11:27. (Impact factor: 3.327) (江宏倫-Sequenom, NGS)

(6) TH Lee, TM Ko, CH Chen, YJ Chang, LS Lu, CH Chang, KL Huang, TY Chang, JD Lee, KC Chang, JT Yang, MS Wen, CY Wang, YT Chen, TC Chen, SY Chou, MTM Lee, YT Chen, JY Wu. A genome-wide association study links small-vessel ischemic stroke to autophagy. *Scientific Reports* 2017 Nov; 7:15229. (Impact factor: 4.259) (柯泰名-CHB, Sequenom)

(7) JY Wu, CH Chen, CSJ Fann, WH Pan, YT Chen *et al*. join the Asian Genetic Epidemiology Network (AGEN). Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. *Human Molecular Genetics* 2017 Nov; 26(9):1770-1784. (Impact factor: 5.340) (陳建勳-統計分析)

(8) LF Shen, YJ Chen, KM Liu, ANS Haddad, IW Song, HY Roan, LY Chen, JJY Yen, YJ Chen, JY Wu, YT Chen. Role of S-palmitoylation by ZDHHC13 in mitochondrial function and metabolism in liver. *Scientific Reports* 2017 May; 7:2182. (Impact factor: 4.122) (沈麗芬)

2018 (2)

(1) CF Yang, SP Lin, CP Chiang, YH Wu, WS H'ng, CP Chang, YT Chen, JY Wu. Loss of GPNMB causes autosomal-recessive amyloidosis cutis dyschromica in Humans. *American Journal of Human Genetics* 2018 Feb; 102(2):219-232. (Impact factor: 10.794) (楊奇凡-NGS)

(2) TM Ko, K Kiyotani, JS Chang, JH Park, PY Yew, YT Chen, JY Wu, Y Nakamura. Immunoglobulin profiling identifies unique signatures in patients with Kawasaki disease during intravenous immunoglobulin treatment. *Human Molecular Genetics* 2018 May; 27(15):2671-2677. (Impact factor: 4.902) (柯泰名-NGS)

2019 (1)

(1) TM Ko, JS Chang, SP Chen, YM Liu, CJ Chang, FJ Tsai, YC Lee, CH Chen, YT Chen, JY Wu. Genome-wide transcriptome analysis to further understand neutrophil activation and lncRNA transcript profiles in Kawasaki disease. *Scientific Reports* 2019 Jan; 9:328. (Impact factor: 4.122) (柯泰名-NGS)